J6699/1(C)

Serial No.:

10/050,238

Filed:

January 16, 2002

Confirmation No.:

6809

Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of the Claims:

Claims 1 - 4 (canceled).

- (previously presented): A process according to claim 22, wherein weight average droplet size of the structured oil-in-water pre-dispersion is greater than 100 to less than or equal to 500 microns.
- 6. (previously presented): A process according to claim 22, wherein the structured oil phase has a weight average droplet size in the range of 20 to about 200 microns.
- 7. (previously presented): A process according to claim 22, wherein the structured oil phase has a viscosity in the range of 200 to 2000 poise at a shear rate of 1 sec-1 and a temperature of 25°C.

Claim 8 (canceled).

J6699/1(C)

Serial No.:

10/050,238

Filed:

January 16, 2002

Confirmation No.:

6809

- 9. (previously presented): A process according to claim 22: The process according to claim 1, wherein said composition additionally comprises a functional skin benefit agent selected from the group consisting of humectants, occlusive agents, barrier lipids, skin repair agents, UV screens, vitamins, skin lightening agents, antimicrobials, antioxidants, and mixtures thereof.
- 10. (previously presented): A process according to claim 22, wherein said composition additionally comprises a sensory modifier selected from the group consisting of emollients, skin conditioning agents, perfumes, distributing agents, chemosensory agents and mixtures thereof.
- 11. (previously presented): A process according to claim 22, wherein said composition additionally comprises a chemical preservative.
- 12. (previously presented): A process according to claim 22, wherein said composition additionally comprises a chelating agent.
- 13. (previously presented): A process according to claim 22, wherein said composition additionally comprises an essential oil.

Claims 14-18 (canceled).

19. (previously presented): A process according to claim 22, wherein the aqueous phase contains less than 1% of a surfactant.

J6699/1(C)

Serial No.:

10/050,238

Filed:

January 16, 2002

Confirmation No.:

6809

- 20. (previously presented): A process according to claim 22, wherein the aqueous phase is free of anionic surfactant.
- 21. (previously presented): A process according to claim 22, wherein the aqueous phase is free of surfactant.
- 22. (previously presented): Process for making a wet-skin treatment composition comprising the steps of:
 - i) forming an aqueous phase comprising less than 1% anionic surfactant, water and dispersion stabilizer, wherein said dispersion stabilizer is selected from inorganic dispersion stabilizers selected from clays, silicas and mixtures thereof; organic stabilizers having a molecular weight lower than about 1000 Daltons and capable of forming a network in the aqueous phase that immobilizes a dispersed structured oil phase and wherein said organic stabilizer is selected from the group consisting glycol mono-, di- and triesters having 14 to 22 atoms carbon alone and mixtures thereof; and polymeric stabilizers selected from carbohydrate gums, acrylate-containing homo and co-polymers and mixtures thereof,
 - ii) forming a structured oil phase comprising a liquid oil selected from triglycerides, modified triglycerides, or their mixtures and a structurant present in an amount to yield viscosity of 100 to 5000 poise measured at 1 sec⁻¹ at 25°C and which structurant forms a stable 3-dimensional network

J6699/1(C)

Serial No.:

10/050,238

Filed:

January 16, 2002

Confirmation No.:

6809

comprising finely divided solid particles having a particle size below about 25 microns, wherein said particles are present in said liquid oil at a temperature below 35°C; wherein said structurant is trihydroxystearin;

- iii) directly mixing said structured oil phase and said aqueous phase to form a structured oil–in–water predispersion having weight average droplet size of greater than about 100 microns;
- iv) passing said structured oil-in-water predispersion through a screen having an opening of up to about 2000 micrometers to make the wet skin treatment composition having oil drops of about 20 to 300 microns in size;

wherein the wet-skin composition formed has foaming volume of less than 5 cc when measured by the Solution Shake Test.

23. (previously presented): A process according to claim 22 wherein the structured oil-in-water predispersion has a droplet size greater than about 300 microns.